



PATENT
Atty Docket No.: 31853.0003

Co/FC

J. W. P.
#157

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Blume *et al.*

Patent No.: 6,372,252

Issued: April 16, 2002

For: GUAIFENESIN SUSTAINED RELEASE FORMULATION AND TABLETS

Certificate

JUL 02 2002

of Correction

SECOND REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.322

Attn: Office Certificate of Correction
Commissioner for Patents
Washington, DC 20231

Pursuant to 35 U.S.C. § 254 and 37 C.F.R. § 1.322, patentee requests the issuance of a Certificate of Correction in the above-identified patent. Applicants received a Certificate of Correction for the above-identified patent, however, the Certificate of Correction contained errors. Therefore, Applicants now submit a second Certificate of Correction to correct the errors in the first Certificate of Correction. A copy of the first Certificate of Correction is included as a courtesy. Two (2) copies of PTO Form 1050 are appended. The complete Certificate of Correction involves 5 pages. The mistakes identified in the appended Form occurred through the fault of the Office, as clearly disclosed by the records of the application which matured into this patent.

On column 22, line 51, claim 31, after "8750," change "hr1* μ g/mL" to
--hr* μ g/mL--.

On column 24, line 10, claim 48, after "7000" change "hr1* μ g/mL" to
--hr* μ g/mL--.

By granting this request for a Certificate of Correction, the PTO will properly list each claim and correct the typographical errors in Cols. 22 and 24. Therefore, patentee earnestly requests issuance of a Certificate of Correction.

Talked to Craig Fudgett about changes on 9/16/2002.

As the errors occurred through the fault of the Patent Office, patentee need not file a fee for this request. However, in the event that there are any fees due, the Commissioner is hereby authorized to charge such fees to Brobeck, Phleger & Harrison, LLP Deposit Account No. 50-1640.

Respectfully submitted,

Dated: 6/27/02

By: Craig L. Puckett
Craig L. Puckett (Reg. No. 43,023)

For: Rodger L. Tate (Reg. No. 27,399)

Brobeck, Phleger & Harrison LLP
Intellectual Property Department
1333 H Street, N.W., Suite 800
Washington, D.C. 20005
(202) 220-6000

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,372,252 B1
DATED : April 16, 2002
INVENTOR(S) : Blume et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 22,

Line 51, after "8750", change "hrl $\mu\text{g/mL}$ " to -- hr^{*} $\mu\text{g/mL}$ --.

Line 56, change "300" to --800 --.

Column 24,

Line 10, after "7000", change "hr^{*} $\mu\text{g/mL}$ " to -- hr^{*} $\mu\text{g/mL}$ --.

This certificate supersedes Certificate of Correction issued June 18, 2002

Signed and Sealed this
Eighteenth Day of June, 2002

Attest:

Attesting Officer

JAMES E. ROGAN

Director of the United States Patent and Trademark Office

Note
(Remove 1)

Note
(Add # and delete 1)

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,372,252 B1
DATED : April 16, 2002
INVENTOR(S) : Blume et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 22,

Line 51, after "8750", change "hrl $\mu\text{g/mL}$ " to -- hrl* $\mu\text{g/mL}$ --.

Line 56, change "300" to --800 --.

Column 24,

Line 10, after "7000", change "hr* $\mu\text{g/mL}$ " to -- hrl* $\mu\text{g/mL}$ --.



Attest:

Brenda Moore

Attesting Officer

Signed and Sealed this
Eighteenth Day of June, 2002

JAMES E. ROGAN

Director of the United States Patent and Trademark Office

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,372,252
DATED : April 16, 2002
INVENTOR(S) : Blume *et al.*

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 22, line 51, claim 31, after "8750," change "hr μ g/mL" to --hr μ g/mL--.

Column 24, line 10, claim 48, after "7000," change "hr μ g/mL" to --hr μ g/mL--.

MAILING ADDRESS OF SENDER:

PATENT NO. 6,372,252

BROBECK, PHLEGER & HARRISON LLP

NO. OF ADDITIONAL COPIES 10

INTELLECTUAL PROPERTY DEPARTMENT
1333 H-STREET, N.W.
SUITE 800
WASHINGTON, DC 20005



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : **6,372,252**
DATED : **April 16, 2002**
INVENTOR(S) : **Blume *et al.***

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 22, line 51, claim 31, after "8750," change "hrl* μ g/mL" to --hr* μ g/mL--.

Column 24, line 10, claim 48, after "7000," change "hrl* μ g/mL" to --hr* μ g/mL--.

MAILING ADDRESS OF SENDER:

PATENT No. **6,372,252**

BROBECK, PHLEGER & HARRISON LLP

NO. OF ADDITIONAL COPIES **10**

INTELLECTUAL PROPERTY DEPARTMENT
1333 H-STREET, N.W.
SUITE 800
WASHINGTON, DC 20005



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,372,252 B1
DATED : April 16, 2002
INVENTOR(S) : Blume et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 22.

Line 51, after "8750", change "hrl $\mu\text{g/mL}$ " to -- hrl* $\mu\text{g/mL}$ --.

Line 56, change "300" to --800 --.


Column 24.

Line 10, after "7000", change "hr* $\mu\text{g/mL}$ " to -- hrl* $\mu\text{g/mL}$ --.

Signed and Sealed this

Eighteenth Day of June, 2002

Attest:

A handwritten signature in black ink, appearing to read "James E. Rogan", with a horizontal line drawn underneath it.

Attesting Officer

JAMES E. ROGAN
Director of the United States Patent and Trademark Office

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,372,252 B1
DATED : April 16, 2002
INVENTOR(S) : Blume et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 22,

Line 51, after "8750", change "hr μ g/mL" to -- hr* μ g/mL --.

Line 56, change "300" to -- 800 --.

Column 24,

Line 10, after "7000", change "hr* μ g/mL" to -- hr* μ g/mL --.

This certificate supersedes Certificate of Correction issued on June 18, 2002.

Signed and Sealed this

Third Day of September, 2002

Attest:



Attesting Officer

JAMES E. ROGAN
Director of the United States Patent and Trademark Office